




Toll Free: 1 844 275 0022

## Twist Locking System

EN 1856-1: T600-N1-D-Vm-L50050-G70/O50  
T600-N1-D-V2-L50050-G70/O50  
Diameter: ID125-300mm  
Material: SUS316L & SUS304,  
or according to customer's request

Thickness: 0.5mm/0.6mm  
Insulation: Ceramic, 13/25/35/60mm thickness  
Connection: Twist Lock


### Straight Pipe




| $\phi$ (mm) | A   | B   | C   | D   | E   |
|-------------|-----|-----|-----|-----|-----|
| 125         | 127 | 175 | 125 | 167 | 171 |
| 150         | 152 | 200 | 150 | 191 | 196 |
| 175         | 177 | 225 | 175 | 217 | 221 |
| 200         | 202 | 250 | 200 | 243 | 247 |
| 250         | 252 | 300 | 250 | 292 | 296 |
| 300         | 302 | 350 | 300 | 342 | 346 |


| L | 1195 | 975 | 475 | 300 | 120 |
|---|------|-----|-----|-----|-----|
|---|------|-----|-----|-----|-----|




### 90 Degree Tee




| $\phi$ (mm) | A   | B   | L   |
|-------------|-----|-----|-----|
| 125         | 125 | 175 | 305 |
| 150         | 150 | 200 | 320 |
| 175         | 175 | 225 | 335 |
| 200         | 200 | 250 | 350 |
| 250         | 250 | 300 | 380 |
| 300         | 300 | 350 | 410 |



### 135 Degree Tee



| $\phi$ (mm) | A   | B   | C   | D   |
|-------------|-----|-----|-----|-----|
| 125         | 125 | 175 | 300 | 500 |
| 150         | 150 | 200 | 300 | 500 |
| 175         | 175 | 225 | 300 | 500 |
| 200         | 200 | 250 | 300 | 500 |
| 250         | 250 | 300 | 350 | 600 |
| 300         | 300 | 350 | 400 | 650 |



**ALLIGTECH INDUSTRIES INC.**

email: [info@allightechindustries.com](mailto:info@allightechindustries.com)

Http: [www.allightechindustries.com](http://www.allightechindustries.com)

Factory:

Aolitian Industrial Manufacturing Co., Ltd.


Kunshan, Jiangsu, China




Toll Free: 1 844 275 0022

## Twist Locking System


### 90 Degree Elbow




| $\phi$ (mm) | A   | B   | C   | D   | E   |
|-------------|-----|-----|-----|-----|-----|
| 125         | 125 | 100 | 158 | 118 | 175 |
| 150         | 150 | 116 | 186 | 123 | 200 |
| 175         | 175 | 123 | 198 | 140 | 225 |
| 200         | 200 | 140 | 210 | 158 | 250 |
| 250         | 250 | 160 | 248 | 160 | 300 |
| 300         | 300 | 170 | 280 | 196 | 350 |




### 30 Degree Elbow




| $\phi$ (mm) | A   | B   | C   | D   | H   | I   | J   |
|-------------|-----|-----|-----|-----|-----|-----|-----|
| 125         | 125 | 175 | 90  | 115 | 127 | 167 | 171 |
| 150         | 150 | 200 | 97  | 122 | 152 | 191 | 196 |
| 175         | 175 | 225 | 104 | 129 | 177 | 217 | 221 |
| 200         | 200 | 250 | 110 | 135 | 202 | 243 | 247 |
| 250         | 250 | 300 | 124 | 149 | 252 | 292 | 296 |
| 300         | 300 | 350 | 137 | 162 | 302 | 342 | 346 |



### Wall Base Support



| $\phi$ (mm) | A   | B   | C   | D   | L   |
|-------------|-----|-----|-----|-----|-----|
| 125         | 125 | 175 | 225 | 280 | 100 |
| 150         | 150 | 200 | 250 | 305 | 100 |
| 175         | 175 | 225 | 275 | 330 | 100 |
| 200         | 200 | 250 | 300 | 355 | 100 |
| 250         | 250 | 300 | 350 | 405 | 100 |
| 300         | 300 | 350 | 400 | 455 | 100 |



**ALLIGHTECH INDUSTRIES INC.**

email: [info@allightechindustries.com](mailto:info@allightechindustries.com)

Http: [www.allightechindustries.com](http://www.allightechindustries.com)

Factory:

Aolitian Industrial Manufacturing Co., Ltd.

Kunshan, Jiangsu, China



Toll Free: 1 844 275 0022

## Normal Connection System

EN 1856-1: T600-N1-D-Vm-L50050-G70/O50

T600-N1-D-V2-L50050-G70/O50

Diameter: ID80-300mm


Material: SUS316L & SUS304,  
or according to customer's request

Thickness: 0.5mm/0.6mm

Insulation: Ceramic, 13/25/50mm thickness

Connection: Spigot Lock with locking band to  
keep enough strong


### Straight Pipe




| φ(mm) | A   | B   |     |
|-------|-----|-----|-----|
| 125   | 125 | 175 |     |
| 150   | 150 | 202 |     |
| 175   | 175 | 225 |     |
| 200   | 200 | 250 |     |
| 250   | 250 | 300 |     |
| 300   | 300 | 350 |     |
| C     | 160 | 460 | 960 |




### 90 Degree Elbow




| φ(mm) | A   | B   | L   |
|-------|-----|-----|-----|
| 125   | 125 | 175 | 350 |
| 150   | 150 | 202 | 380 |
| 175   | 175 | 225 | 400 |
| 200   | 200 | 250 | 420 |
| 250   | 250 | 300 | 460 |
| 300   | 300 | 350 | 520 |



### 135 Degree Elbow



| φ(mm) | A   | B   | C   | L   |
|-------|-----|-----|-----|-----|
| 125   | 125 | 175 | 275 | 460 |
| 150   | 150 | 202 | 302 | 500 |
| 175   | 175 | 225 | 325 | 530 |
| 200   | 200 | 250 | 350 | 560 |
| 250   | 250 | 300 | 400 | 620 |
| 300   | 300 | 350 | 450 | 700 |



**ALLIGHTECH INDUSTRIES INC.**

email: [info@allightechindustries.com](mailto:info@allightechindustries.com)

Http: [www.allightechindustries.com](http://www.allightechindustries.com)

Factory:

Aolitian Industrial Manufacturing Co., Ltd.

Kunshan, Jiangsu, China







Toll Free: 1 844 275 0022

## Normal Connection System


### 90 Degree Elbow




| (mm) | A   | B   | C   | D   | E   |
|------|-----|-----|-----|-----|-----|
| 125  | 125 | 175 | 150 | 198 | 150 |
| 150  | 150 | 202 | 160 | 210 | 160 |
| 175  | 175 | 225 | 175 | 235 | 175 |
| 200  | 200 | 250 | 190 | 255 | 190 |
| 250  | 250 | 300 | 210 | 298 | 210 |
| 300  | 300 | 350 | 240 | 308 | 240 |




### 45 Degree Elbow




| φ(mm) | A   | B   | C   | D   |
|-------|-----|-----|-----|-----|
| 125   | 125 | 175 | 150 | 150 |
| 150   | 150 | 202 | 160 | 160 |
| 175   | 175 | 225 | 171 | 171 |
| 200   | 200 | 250 | 181 | 181 |
| 250   | 250 | 300 | 202 | 202 |
| 300   | 300 | 350 | 223 | 223 |



### Wall Base Support



| φ(mm) | A   | B   | C   | D   |
|-------|-----|-----|-----|-----|
| 125   | 125 | 175 | 173 | 455 |
| 150   | 150 | 200 | 198 | 455 |
| 175   | 175 | 225 | 223 | 455 |
| 200   | 200 | 250 | 248 | 455 |
| 250   | 250 | 300 | 298 | 555 |
| 300   | 300 | 350 | 348 | 555 |



**ALLIGHTECH INDUSTRIES INC.**

email: [info@allightechindustries.com](mailto:info@allightechindustries.com)

Http: [www.allightechindustries.com](http://www.allightechindustries.com)

Factory:

Aolitian Industrial Manufacturing Co., Ltd.

Kunshan, Jiangsu, China




Toll Free: 1 844 275 0022


## Flue Kits System

( According to customer's request to design how to pack the products)


### Straight Pipe ( Decoration )




| ( mm ) | A   | B   | L    |
|--------|-----|-----|------|
| 150    | 191 | 193 | 1000 |




### 45 Degree Elbow




| ( mm ) | A   | B   |
|--------|-----|-----|
| 150    | 150 | 152 |
| 200    | 201 | 203 |
| 250    | 250 | 252 |



### Rain Cap



| ( mm ) | A   | B   | C   | L   |
|--------|-----|-----|-----|-----|
| 150    | 149 | 305 | 285 | 225 |



**ALLIGHTECH INDUSTRIES INC.**

email: [info@allightechindustries.com](mailto:info@allightechindustries.com)

Http: [www.allightechindustries.com](http://www.allightechindustries.com)


Factory:

Aolitian Industrial Manufacturing Co., Ltd.


Kunshan, Jiangsu, China

## Accessories


### Wind Cowl




| $\phi(\text{mm})$ | A   | B   |
|-------------------|-----|-----|
| 125               | 125 | 175 |
| 150               | 150 | 200 |
| 175               | 175 | 225 |
| 200               | 200 | 250 |
| 250               | 250 | 300 |
| 300               | 300 | 350 |




### H Cowl




| $\phi(\text{mm})$ | A   | B   | C   |
|-------------------|-----|-----|-----|
| 125               | 125 | 175 | 450 |
| 150               | 150 | 202 | 450 |
| 175               | 175 | 225 | 450 |
| 200               | 200 | 250 | 550 |
| 250               | 250 | 300 | 550 |
| 300               | 300 | 350 | 600 |




### Terminal




| $\phi(\text{mm})$ | A   | B   |
|-------------------|-----|-----|
| 125               | 125 | 175 |
| 150               | 150 | 200 |
| 175               | 175 | 225 |
| 200               | 200 | 250 |
| 250               | 250 | 300 |
| 300               | 300 | 350 |



### 5-30 Degree Roof flashing



| $\phi(\text{mm})$ | A   | B   | L1  |
|-------------------|-----|-----|-----|
| 125               | 600 | 700 | 185 |
| 150               | 600 | 700 | 210 |
| 175               | 600 | 800 | 235 |
| 200               | 600 | 800 | 260 |
| 250               | 600 | 900 | 310 |
| 300               | 600 | 900 | 360 |



**ALLIGHTECH INDUSTRIES INC.**

email: [info@allightechindustries.com](mailto:info@allightechindustries.com)

Http: [www.allightechindustries.com](http://www.allightechindustries.com)

Factory:


Aolitian Industrial Manufacturing Co., Ltd.

Kunshan, Jiangsu, China




## Accessories


### Storm Collar




| $\phi$ (mm) | A   |
|-------------|-----|
| 125         | 177 |
| 150         | 202 |
| 175         | 227 |
| 200         | 252 |
| 250         | 302 |
| 300         | 352 |




### Trim Plate




| $\phi$ (mm) |     | A   | B   |
|-------------|-----|-----|-----|
| 150         | 0°  | 460 | 480 |
| 150         | 30° | 460 | 526 |
| 150         | 45° | 460 | 570 |
| 200         | 0°  | 510 | 530 |
| 200         | 30° | 510 | 576 |
| 200         | 45° | 510 | 620 |




### Twist Adaptor




| (mm) | A   | B   |
|------|-----|-----|
| 125  | 123 | 100 |
| 150  | 148 | 100 |
| 175  | 173 | 100 |
| 200  | 198 | 100 |
| 250  | 248 | 100 |
| 300  | 298 | 100 |



### Normal Adaptor



| (mm) | A   | B   |
|------|-----|-----|
| 125  | 173 | 123 |
| 150  | 200 | 148 |
| 175  | 223 | 173 |
| 200  | 248 | 198 |
| 250  | 298 | 248 |
| 300  | 348 | 298 |



**ALLIGHTECH INDUSTRIES INC.**

email: [info@allightechindustries.com](mailto:info@allightechindustries.com)

Http: [www.allightechindustries.com](http://www.allightechindustries.com)

Factory:

Aolitian Industrial Manufacturing Co., Ltd.


Kunshan, Jiangsu, China




Toll Free: 1 844 275 0022

## Accessories


### Special Adaptor



| (mm) | A   | B   | C    |
|------|-----|-----|------|
| 125  | 122 | 195 | 25   |
| 125  | 122 | 195 | 37.5 |
| 125  | 122 | 195 | 50   |
| 150  | 146 | 195 | 25   |
| 150  | 146 | 195 | 37.5 |
| 150  | 146 | 195 | 50   |




### Roof Bracket




| (mm) | A   |
|------|-----|
| 125  | 175 |
| 150  | 200 |
| 175  | 225 |
| 200  | 250 |
| 250  | 300 |
| 300  | 350 |




### Special Base Bracket




| (mm) | A   | B   |
|------|-----|-----|
| 125  | 450 | 100 |
| 150  | 450 | 100 |
| 175  | 650 | 200 |
| 200  | 750 | 200 |
| 250  | 850 | 250 |
| 300  | 950 | 300 |



### Adjustable Bracket



| φ(mm) | A   |
|-------|-----|
| 125   | 175 |
| 150   | 200 |
| 175   | 225 |
| 200   | 250 |
| 250   | 300 |
| 300   | 350 |



**ALLIGHTECH INDUSTRIES INC.**

email: [info@allightechindustries.com](mailto:info@allightechindustries.com)

Http: [www.allightechindustries.com](http://www.allightechindustries.com)

Factory:

Aolitian Industrial Manufacturing Co., Ltd.

Kunshan, Jiangsu, China





Toll Free: 1 844 275 0022

# Accessories

## Roof Support

| $\phi(\text{mm})$ | A   |
|-------------------|-----|
| 125               | 175 |
| 150               | 200 |
| 175               | 225 |
| 200               | 250 |
| 250               | 300 |
| 300               | 350 |

## Ventilation Pipe

| $\phi(\text{mm})$ | A   | B   |
|-------------------|-----|-----|
| 125               | 327 | 230 |
| 150               | 352 | 255 |
| 175               | 377 | 280 |
| 200               | 402 | 305 |
| 250               | 452 | 355 |
| 300               | 502 | 405 |

## Locking Band

| $\phi(\text{mm})$ | A   |
|-------------------|-----|
| 125               | 180 |
| 150               | 205 |
| 175               | 230 |
| 200               | 255 |
| 250               | 305 |
| 300               | 355 |

**ALLIGHTECH INDUSTRIES INC.**

email: [info@allightechindustries.com](mailto:info@allightechindustries.com)

Http: [www.allightechindustries.com](http://www.allightechindustries.com)

Factory:

Aolitian Industrial Manufacturing Co., Ltd.

Kunshan, Jiangsu, China